




Contact Us:
 Tel: 1-800-776-9888
sales@TopLine.tv
www.TopLine.tv

D2PAK 3L (Center Lead Cut)
JEDEC TO-263AB Package
TopLine Dummy Component
For training, practice and evaluation

Quick Specs:
 Pin Count 3L
 Pitch 5.08mm
 Body 10.0 x 9.2mm
 Power Outline Transistor/Diode



[Click for Outline Drawing](#)

Use and Applications:
 IPC Solder Training & Practice
 Equipment Evaluation
 Prototype PWB

Availability:
 Delivery Stock to 4 weeks





Part Number Example:
 D2PAK-E13A = 3L (Center Lead Cut - Standard)

TO263AB


Part Numbering System

D2PAK		-	E13A	-	T	-	Option
JEDEC Series	Nbr Leads		Packaging		Plating		Daisy Chain
TO263AB Plastic Power Outline Transistor	Standard: Blank = 2L (Center Lead Cut) Special: 3 = 3L Full Leads		E13A = 13" Reel 500~800pcs E7A = 7" Reel 100pcs B = Bulk		T = Sn100 RoHS Pb-Free Blank = SnPb		Blank = Undefined DC12 DC13 DC123 (Standard) ISO = Isolated

Options: Add Daisy Chain Drawing Number: DC12 , DC13 or DC123 (Standard)




DIMENSIONS ARE IN MILLIMETERS.



DETAIL A, ROTATED 90°
SCALE: 2X

D2PAK 3L (Center Lead Cut)
JEDEC TO-263AB Package
TopLine Dummy Component
For training, practice and evaluation

D2PAK Daisy Chain – Top View



Top View of Internal Daisy Chain Option. Zero Ohm Jumper

TopLine Corporation
95 Highway 22 W
Milledgeville, GA 31061, USA
Toll Free USA/Canada (800) 776-9888
International: 1-478-451-5000 • Fax: 1-478-451-3000
Email: sales@topline.tv

www.topline.tv