




PLCC Tray JEDEC Matrix IC Trays

PLCC IC Matrix Trays Conform to JEDEC Standards



PLCC Lead Count	Quantity Pockets Per Tray	Matrix Row-Column	JEDEC Reference	Order TopLine Tray Part Number
PLCC Tray				
32-L Rectangle	128	8 x 16	CO-016AD CS-003AD	PLCCTRAY32-8x16
44-L Square	40	4 x 10	CO-016AG CS-003AG	PLCCTRAY44-4x10
52-L Square	36	4 x 9	CO-016AH CS-003AH	PLCCTRAY52-4x9
68-L Square	21	3 x 7	CO-016AI CS-003AJ	PLCCTRAY68-3x7
84-L Square	21	3 x 7	CO-016AJ CS-003AK	PLCCTRAY84-3x7

Optional Features:

Specify temperature: 50°C, 75°C, 150°C, 180°C when ordering.
Tray Color Black >150°C. Blue=50~75°C

TopLine Corporation
95 Highway 22 W
Milledgeville, GA 31061, USA
Toll Free USA/Canada (800) 776-9888
International: 1-478-451-5000 • Fax: 1-478-451-3000
Email: sales@topline.tv

©2010 TopLine. All Rights Reserved.



**JEDEC Matrix Trays
X, Y and Step Dimensions
See Drawing Last Page**

Dimensions in mm (Inch)

TopLine does not guarantee accuracy of this list.

PLCC

Type	JEDEC Standard	Var	PLCC Pin Count	columns N1	Rows N2	Cells N3	Up Left Corner (+X) M	Up Left Corner (-Y) M1	-Y step M2	+X Step M3
PLCC	CO-016	AG	44 Square	4	10	40	0.899"	1.180"	1.180"	1.184"
PLCC	CS-003	AG	44 Square	4	10	40	16.5mm	23.73mm	20.58mm	20.58mm
PLCC	CO-016	AH	52 Square	4	9	36	0.869"	1.307"	1.307"	1.204"
PLCC	CS-003	AH	52 Square	4	9	36	21.71mm	18.78mm	23.12mm	23.12mm
PLCC	CO-016	AI	68 Square	3	7	21	1.079"	1.679"	1.679"	1.596"
PLCC	CS-003	AJ	68 Square	3	7	21	25.65mm	30.6mm	28.2mm	28.2mm
PLCC	CO-016	AJ	84 Square	3	7	21	1.070"	1.148"	1.684"	1.605"
PLCC	CS-003	AK	84 Square	3	7	21	34.67mm	24.38mm	33.28mm	33.28mm

