



Notes: (Unless Otherwise Specified).

- 1) DIMENSIONS IN inches.
- 2) ALL EXPOSED METAL AND METALLIZED AREA SHALL BE GOLD PLATED 60 MICRO INCH MIN. THK. OVER NICKEL PLATED.
- 3) SEAL AREA AND DIE ATTACH AREA SHALL BE ISOLATED FROM ANY LEADS. (ZERO GROUND).

APPROVALS		DATE				
DRAWN	T. Au	04/13/15				
ENG	M. Hart	04/13/15	TITLE CLCC68J50-N.400 DIE CAVITY 0.400" (10.16mm)			
MFG						
QA			SCALE	SIZE	DRAWING NO.	REV
CUST			3:1	A	206325	A
REVISED			DO NOT SCALE DRAWING			SHEET 1 OF 3

# BONDING PADS



**TopLine<sup>®</sup>**


TITLE CLCC68J50-N.400  
DIE CAVITY 0.400" (10.16mm)

SCALE	SIZE	DRAWING NO.	REV
16:1	A	206325	A


DO NOT SCALE DRAWING

SHEET 2 OF 3


**MODELS  
OPEN CAVITY**



**TOP**



**BOTTOM**



**EDGE**

<b>TopLine®</b>			
TITLE CLCC68J50-N.400 DIE CAVITY 0.400" (10.16mm)			
SCALE 3:1	SIZE A	DRAWING NO. 206325	REV A
DO NOT SCALE DRAWING			SHEET 3 OF 3