



Contact Us:
 Tel: 1-800-776-9888
sales@TopLine.tv
www.TopLine.tv

DPAK 3-Leads
JEDEC TO-252AA Package
TopLine Dummy Component
For training, practice and evaluation



Quick Specs:
 Pin Count 3L
 Pitch 2.3mm - 2.3mm
 Body 6.0 x 6.5mm
 Small Outline Transistor/Diode

Use and Applications:
 IPC Solder Training & Practice
 Equipment Evaluation
 Prototype PWB

Availability:
 Delivery Stock to 4 weeks

[See Page 2 Outline Drawing](#)

Part Number Example:
 DPAK-E13A = 3 Leads - Center Cut Standard
 TO252AA


Part Numbering System

DPAK		-	E13A	-	T	-	Option
JEDEC Series	Nbr Leads		Packaging		Plating		Daisy Chain
TO252AA Plastic Power Outline Transistor	Standard Blank = 3L (Center Lead Cut)		E13A = 13" Reel 2500pcs E7A = 7" Reel 100pcs B = Bulk		T = Sn100 RoHS Pb-Free Blank = SnPb		Blank = Undefined DC12 DC13 DC123 (Standard) ISO = Isolated

Options: Add Daisy Chain Drawing Number: DC12 , DC13 or DC123 (Standard)

DPAK Package Dimensions




DPAK (TO-252AA)



Dimensions in Millimeters

DPAK 3-Leads
JEDEC TO-252AA Package
TopLine Dummy Component
For training, practice and evaluation

DPAK Daisy Chain – Top View



Top View of Internal Daisy Chain Option. Zero Ohm Jumper

TopLine Corporation
95 Highway 22 W
Milledgeville, GA 31061, USA
Toll Free USA/Canada (800) 776-9888
International: 1-478-451-5000 • Fax: 1-478-451-3000
Email: sales@topline.tv
www.topline.tv